

**ecology and environment, inc.**


Global Environmental Specialists

720 Third Avenue, Suite 1700, Seattle, WA 98104

Tel: (206) 624-9537, Fax: (206) 621-9832

MEMORANDUM

DATE: August 8, 2012

FROM: Mark Woodke, START-3 Chemist, E & E, Seattle, Washington 

TO: Jeff Fetters, START-3 Project Manager, Seattle, Washington

SUBJ: **Organic Data Quality Assurance Review,
Fourth Avenue and Gamble Parking Lot Site, Anchorage, Alaska**

REF: TDD: 12-01-0004 PAN: 002233.0757.01SI

The data quality assurance review of four SUMMA air canister samples collected from the Fourth Avenue and Gamble Parking Lot site in Anchorage, Alaska, has been completed. Volatile Organic Compound (VOC) analysis (EPA modified Method TO-15 SIM) was performed by Eurofins Air Toxics, Inc., Folsom, California. All sample analyses were evaluated following EPA's Stage 4 Data Validation Manual Process (S4VM).

The samples were numbered:

12284687 12284688 12294758 12294759

Data Qualifications:**1. Sample Holding Times: Acceptable.**

The samples were collected between July 12 and 14, 2012, and were analyzed by July 20, 2012, therefore meeting QC criteria of less than 30 days between collection and analysis for SUMMA canister samples.

2. Tuning: Acceptable.

Tuning was performed at the beginning of each 12-hour analysis sequence. All results were within QC limits.

3. Initial Calibration: Acceptable.

All average Relative Response Factors (RRFs) were greater than the QC limit of 0.050. All water Relative Standard Deviations (RSDs) were less than the QC limits of 30%.

4. Continuing Calibration: Acceptable.

All RRFs were within QC limits. All % differences were within QC limits.

USEPA SF**1409868**

5. Blanks: Acceptable.

A method blank was analyzed for each 20 sample batch per matrix. There were no detections in any method blank.

6. System Monitoring Compounds (SMCs): Acceptable.

All SMC recoveries were within QC limits.

7. Blank Spike (BS)/BS Duplicate (BSD) Analysis: Acceptable.

BS and BSD analyses were performed per SDG or per matrix per concentration level, whichever was more frequent. All recoveries were within QC limits.

8. Duplicate Analysis: Acceptable.

Laboratory spike duplicate analysis was performed per SDG or per matrix per concentration level, whichever was more frequent. All spike duplicate results were within QC limits.

9. Internal Standards: Acceptable.

All internal standards were within ± 30 seconds of the continuing calibration internal standard retention times. All area counts were within 50 % to 200 % of the continuing calibration area counts.

10. Precision and Bias Determination: Not Performed.

Samples necessary to determine precision and bias were not provided to the laboratory. All results were flagged "PND" (Precision Not Determined) and "RND" (Recovery Not Determined), although the flags do not appear on the data sheets.

11. Performance Evaluation Sample Analysis: Not Provided.

Performance evaluation samples were not provided to the laboratory.

12. Overall Assessment of Data for Use

Sample 12284687 was received at the laboratory at ambient pressure despite the use of a flow controller; no leaks were observed at the laboratory. Associated sample results were qualified as estimated quantities with a low bias (JL or UJL).

The overall usefulness of the data is based on the criteria outlined in the Site-Specific Sampling Plan and/or Sampling and Quality Assurance Plan, the OSWER Guidance Document "Quality Assurance/Quality Control Guidance for Removal Activities, Sampling QA/QC Plan, and Data Validation Procedures" (EPA/540/G-90/004), the analytical method, and, when applicable, the Office of Emergency and Remedial Response Publication "USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review". Based upon the information provided, the data are acceptable for use with the above stated data qualifications.

Data Qualifiers and Definitions

- U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- J - The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- JH - The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with a high bias.
- JL - The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with a low bias.
- JK - The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with an unknown direction of bias.
- JQ - The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with an unknown direction of bias and falls between the MDL and the Minimum (or Practical) Quantitation Limit (MQL, PQL).
- N - The analysis indicates the present of an analyte for which there is presumptive evidence to make a "tentative identification".
- NJ - The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.
- UJ - The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R - The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.



Air Toxics

Client Sample ID: 12284687

Lab ID#: 1207350-01A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e072014sim	Date of Collection:	7/12/12 7:05:00 AM
Dil. Factor:	2.24	Date of Analysis:	7/20/12 05:39 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.022	Not Detected	0.057	Not Detected
1,1-Dichloroethene	0.022	Not Detected	0.089	Not Detected
1,1-Dichloroethane	0.045	Not Detected	0.18	Not Detected
cis-1,2-Dichloroethene	0.045	Not Detected	0.18	Not Detected
1,1,1-Trichloroethane	0.045	Not Detected	0.24	Not Detected
Benzene	0.11	1.2 JL	0.36	3.8 JL
1,2-Dichloroethane	0.045	Not Detected	0.18	Not Detected
Trichloroethene	0.045	Not Detected	0.24	Not Detected
Toluene	0.045	14 JL	0.17	54 JL
1,1,2-Trichloroethane	0.045	Not Detected	0.24	Not Detected
Tetrachloroethene	0.045	Not Detected	0.30	Not Detected
Ethyl Benzene	0.045	0.68 JL	0.19	3.0 JL
m,p-Xylene	0.090	2.3 JL	0.39	9.9 JL
o-Xylene	0.045	0.76 JL	0.19	3.3 JL
1,1,2,2-Tetrachloroethane	0.045	Not Detected	0.31	Not Detected
trans-1,2-Dichloroethene	0.22	Not Detected	0.89	Not Detected
Methyl tert-butyl ether	0.22	Not Detected	0.81	Not Detected

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	124	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	104	70-130

mw
8-8-12



Air Toxics

Client Sample ID: 12284688

Lab ID#: 1207350-02A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e072013sim	Date of Collection: 7/12/12 7:10:00 AM
Dil. Factor:	1.75	Date of Analysis: 7/20/12 04:41 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.018	Not Detected	0.045	Not Detected
1,1-Dichloroethene	0.018	Not Detected	0.069	Not Detected
1,1-Dichloroethane	0.035	Not Detected	0.14	Not Detected
cis-1,2-Dichloroethene	0.035	Not Detected	0.14	Not Detected
1,1,1-Trichloroethane	0.035	Not Detected	0.19	Not Detected
Benzene	0.088	0.16	0.28	0.50
1,2-Dichloroethane	0.035	Not Detected	0.14	Not Detected
Trichloroethene	0.035	Not Detected	0.19	Not Detected
Toluene	0.035	0.66	0.13	2.5
1,1,2-Trichloroethane	0.035	Not Detected	0.19	Not Detected
Tetrachloroethene	0.035	Not Detected	0.24	Not Detected
Ethyl Benzene	0.035	0.10	0.15	0.45
m,p-Xylene	0.070	0.33	0.30	1.4
o-Xylene	0.035	0.12	0.15	0.52
1,1,2,2-Tetrachloroethane	0.035	Not Detected	0.24	Not Detected
trans-1,2-Dichloroethene	0.18	Not Detected	0.69	Not Detected
Methyl tert-butyl ether	0.18	Not Detected	0.63	Not Detected

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	124	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	103	70-130



Air Toxics

Client Sample ID: 12294758

Lab ID#: 1207350-03A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e072015sim	Date of Collection: 7/14/12 2:32:00 PM
Dil. Factor:	3.16	Date of Analysis: 7/20/12 06:43 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.032	Not Detected	0.081	Not Detected
1,1-Dichloroethene	0.032	Not Detected	0.12	Not Detected
1,1-Dichloroethane	0.063	Not Detected	0.26	Not Detected
cis-1,2-Dichloroethene	0.063	Not Detected	0.25	Not Detected
1,1,1-Trichloroethane	0.063	Not Detected	0.34	Not Detected
Benzene	0.16	0.22	0.50	0.72
1,2-Dichloroethane	0.063	0.080	0.26	0.32
Trichloroethene	0.063	Not Detected	0.34	Not Detected
Toluene	0.063	1.2	0.24	4.6
1,1,2-Trichloroethane	0.063	Not Detected	0.34	Not Detected
Tetrachloroethene	0.063	0.18	0.43	1.2
Ethyl Benzene	0.063	0.31	0.27	1.3
m,p-Xylene	0.13	1.0	0.55	4.5
o-Xylene	0.063	0.41	0.27	1.8
1,1,2,2-Tetrachloroethane	0.063	Not Detected	0.43	Not Detected
trans-1,2-Dichloroethene	0.32	Not Detected	1.2	Not Detected
Methyl tert-butyl ether	0.32	Not Detected	1.1	Not Detected

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	124	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	102	70-130

Client Sample ID: 12294759

Lab ID#: 1207350-04A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e072016sim	Date of Collection:	7/14/12 2:30:00 PM
Dil. Factor:	1.55	Date of Analysis:	7/20/12 07:27 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.016	Not Detected	0.040	Not Detected
1,1-Dichloroethene	0.016	Not Detected	0.061	Not Detected
1,1-Dichloroethane	0.031	Not Detected	0.12	Not Detected
cis-1,2-Dichloroethene	0.031	Not Detected	0.12	Not Detected
1,1,1-Trichloroethane	0.031	0.14	0.17	0.74
Benzene	0.078	0.20	0.25	0.64
1,2-Dichloroethane	0.031	Not Detected	0.12	Not Detected
Trichloroethene	0.031	Not Detected	0.17	Not Detected
Toluene	0.031	1.8	0.12	6.9
1,1,2-Trichloroethane	0.031	Not Detected	0.17	Not Detected
Tetrachloroethene	0.031	16	0.21	110
Ethyl Benzene	0.031	0.21	0.13	0.92
m,p-Xylene	0.062	0.75	0.27	3.2
o-Xylene	0.031	0.24	0.13	1.0
1,1,2,2-Tetrachloroethane	0.031	Not Detected	0.21	Not Detected
trans-1,2-Dichloroethene	0.16	Not Detected	0.61	Not Detected
Methyl tert-butyl ether	0.16	Not Detected	0.56	Not Detected

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	122	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	104	70-130

mm
8-8-12